151 Importance of thrombosis and thrombolysis in silent ischaemia: comparison of patients with acute myocardial infarction and unstable angina *E Gurfinkel, R Altman, A Scazziota, J Rouvier, B Mautner*

156 Circadian variation in fibrinolytic activity in patients with variant angina *T Masuda, H Ogawa, Y Miyao, Q Yu, I Misumi, T Sakamoto, H Okubo, K Okumura, H Yasue*

162 Effects of motivation of the patient on indices of exercise capacity in chronic heart failure *A L Clark, P A Poole-Wilson, A J S Coats*

166 Impaired left ventricular filling rate induced by treatment with recombinant interleukin 2 for advanced cancer *G Fragasso, M Tresoldi, R Benti, M Vidal, M Marcatti, A Borri, C Besana, P P Gerundini, C Rugarli, S Chierchia*

170 Long-term results of the corridor operation for atrial fibrillation *N M van Hemel, J J A M T Defauw, J H Kingma, W Jaarsma, F E E Vermeulen, J M T de Bakker, G M Guiraudon*

177 Lack of cardioprotective efficacy of allopurinol in coronary artery surgery *D P Taggart, V Young, J Hooper, M Kemp, R Walesby, P Magee, J E Wright*

182 Changes in pulmonary venous flow pattern during early neonatal life *Y Agata, S Hiraishi, K Oguchi, M Nowatari, K Hiura, K Yashiro, T Shimoda*

187 Muscular false tendons, aberrant left ventricular papillary musculature, and severe electrocardiographic repolarisation abnormalities: a new syndrome *M G St John Sutton, S Dubrey, P J Oldershaw*

Case reports

191 Use of an implantable cardioverter defibrillator in a patient with a rate responsive pacemaker *R Chamberlain-Webber, I Rankin, R Sutton*

193 Successful operation in an old survivor of anomalous origin of the left coronary artery from the pulmonary trunk (Bland-White-Garland syndrome) *B T Saeed, M D Rosin, R G Murray*

Audit

196 Outcome of pregnancy in women with valve prostheses *E Sbarouni, C M Oakley*

Technique

202 Mechanical, but not infective, pacemaker erosion may be successfully managed by re-implantation of pacemakers *M J Griffith, J P Mounsey, R S Bexton, M P Holden*

Abstracts in cardiology (181) • British Cardiac Society newsletter • Corrections • Clinical guidelines • Notice

No 3 MARCH 1994

Page

Editorial

209 Patent foramen ovale in adult life *P T Wilmshurst, M A de Belder*

Advice to authors

212 Indexing the *British Heart Journal*: choice of keywords *D Blake*

Editorial

213 Coronary heart disease, the menopause, and hormone replacement therapy *I Findlay, D Cunningham, H J Dargie*

Commentary

214 Arrhythmogenic right ventricular dysplasia: the phenotypic range defined *M J Davies*

Criteria

215 Diagnosis of arrhythmogenic right ventricular dysplasia/cardiomyopathy *W J McKenna, G Thiene, A Nava, F Fontaliran, C Blomstrom-Lundqvist, G Fontaine, F Camerini on behalf of the Task Force of the Working Group Myocardial and Pericardial Disease of the European Society of Cardiology and of the Scientific Council on Cardiomyopathies of the International Society and Federation of Cardiology, supported by the Schoepfer Association*

Review

219 Secundum atrial septal defect: routine surgical treatment is not of proven benefit *C Ward*

Original articles

224 Natural history of secundum atrial septal defect in adults after medical or surgical treatment: a historical prospective study *D Shah, M Azhar, C M Oakley, J G F Cleland, P Nihoyannopoulos*

229 Effects of a patent foramen ovale on arterial saturation during exercise and on cardiovascular responses to deep breathing, Valsalva manoeuvre, and passive tilt: relation to history of decompression illness in divers *P T Wilmshurst, D F Treacher, A Crowther, S E Smith*

232 Assessment of changes in blood flow through the lungs and foramen ovale in the normal human fetus with gestational age: a prospective Doppler echocardiographic study *M St John Sutton, A Groves, A MacNeill, G Sharland, L Allan*

238 Ten year mortality in relation to original size of myocardial infarct: results from the Gothenburg metoprolol study *J Herlitz, B W Karlson, Å Hjalmarson*

242 Assessment of reperfusion of the infarct zone after acute myocardial infarction by serial cardiac troponin T measurements in serum *A Remppis, T Scheffold, O Karrer, J Zehelein, C Hamm, E Grünig, C Bode, W Kübler, H A Katus*

249 Long-term function in the remote region after myocardial infarction: importance of significant coronary stenoses in the non-infarct-related artery *C P de Albuquerque, R Kalil-Filho, G Gerstenblith, O Nakano, V Barbosa, G Bellotti, F Pileggi, B Tranchesi*

254 Verapamil treatment after coronary angioplasty in patients at high risk of recurrent stenosis *E Hoberg, R Dietz, U Frees, H A Katus, B Rauch, A Schömig, G Schuler, F Schwarz, H Tillmanns, J Niebauer, W Kübler*

261 Cardiac neuropeptide Y and noradrenaline balance in patients with congestive heart failure *Q P Feng, T Hedner, B Andersson, J M Lundberg, F Waagstein*

268 QT interval dispersion in chronic heart failure and left ventricular hypertrophy: relation to autonomic nervous system and Holter tape abnormalities *P P Davey, J Bateman, I P Mulligan, C Forfar, C Barlow, G Hart*

274 Permanent pacing for cardioinhibitory malignant vasovagal syndrome *M E V Petersen, R Chamberlain-Webber, A P Fitzpatrick, A Ingram, T Williams, R Sutton*

282 Effect of inhaled nitric oxide on raised pulmonary vascular resistance in children with congenital heart disease *P Winberg, B P W Lundell, L E Gustafsson*

287 Cardiac abnormalities in young women with anorexia nervosa *G de Simone, L Scalfi, M Galderisi, A Celentano, G Di Biase, P Tammaro, M Garofalo, G F Mureddu, O de Divitiis, F Contaldo*

Epidemiology

293 Insulin in ischaemic heart disease: are associations explained by triglyceride concentrations? The Caerphilly prospective study *J W G Yarnell, P M Sweetnam, V Marks, J D Teale, C H Bolton*

Technique

297 Anterior staircase manoeuvre for atrial transseptal puncture *T R D Shaw*

List of advisers (302) • Letters to the editor • British Cardiac Society newsletter • Notices

No 4 APRIL 1994 Page

Editorials

305 Lewis phenotypes, insulin resistance, and risk of ischaemic heart disease *K Meeran, S R Bloom*

307 Who needs ventricular stimulation studies? *C J Garratt*

Viewpoint

309 Will serum enzymes and other proteins find a clinical application in the early diagnosis of myocardial infarction? *A D Timmis*

Original articles

311 Comparison of the value of novel rapid measurement of myoglobin, creatine kinase, and creatine kinase-MB with the electrocardiogram for the diagnosis of acute myocardial infarction *H S Lee, S J Cross, P Garthwaite, A Dickie, I Ross, S Walton, K Jennings*

316 Serum Lp(a) lipoprotein concentration and outcome of thrombolytic treatment for myocardial infarction *A D MBewu, P N Durrington, M I Mackness, L Hunt, W H Turkie, J E Creamer*

322 Heart rate variability and its relation to ventricular arrhythmias in congestive heart failure *L Fei, P J Keeling, J S Gill, Y Bashir, D J Statters, J Poloniecki, W J McKenna, A J Camm*

329 Influence of the autonomic nervous system on circadian patterns of myocardial ischaemia: comparison of stable angina with the early postinfarction period *B Marchant, R Stevenson, S Vaishnav, P Wilkinson, K Ranjadayalan, A D Timmis*

334 Exercise testing without interruption of medication for refining the selection of mildly symptomatic patients for prognostic coronary angiography *R Lim, I Kreidieh, L Dyke, J Thomas, D S Dymond*

341 Exercise electrocardiography and aortic Doppler velocimetry in asymptomatic identical twins discordant for type 1 (insulin dependent) diabetes *S Dubrey, F Akhras, G J Song, T Hardman, C Travill, J Hynd, M I M Noble, S S S Lo, R D G Leslie*

349 Randomised placebo controlled double blind study of two low dose aprotinin regimens in cardiac surgery *C R Bailey, A K Wielogorski*

354 Hepatic portal venous flow in patients undergoing tricuspid valve surgery *S F Purkiss, S Fort, T R Graham, P G Mills, C T Lewis*

358 Mitral valve hypoplasia in children with isolated coarctation of the aorta *P Venugopalan, F A Bu'Lock, H S Joffe*

Case reports

363 Successful treatment by balloon venoplasty and stent insertion of obstruction of the superior vena cava by an endocardial pacemaker lead *H S J Lindsay, P M Chennells, E J Perrins*

366 Abnormal ventricular repolarisation in association with myocardial bridging *J W Dean, P G Mills*

368 Amoebiasis: a rare cause of cardiac tamponade *L N Gomersall, J Currie, R Jeffrey*

370 Transcatheter coil embolisation of a pulmonary arteriovenous malformation in a neonate *R M Grady, A M Sharkey, N D Bridges*

Technique

372 Temporary stent as a bail-out device during percutaneous transluminal coronary angioplasty: preliminary clinical experience *J S R Gibbs, U Sigwart, N P Buller*

Technology

378 A randomised comparison of the Omniflex and Magnarail systems in recanalisation of coronary occlusions *D W Smyth, S Thomas, M R Thomas, C A Bucknall, D E Jewitt*

Practice reviewed

382 Coronary artery bypass surgery: current practice in the United Kingdom *M B Izzat, R R West, A J Bryan, G D Angelini*

Measurement

386 Errors in manual measurement of QT intervals *A Murray, N B McLaughlin, J P Bourke, J C Doig, S S Furniss, R W F Campbell*

391 Assessment of functional capacity in chronic heart failure: time-limited exercise on a self-powered treadmill *J Sparrow, J Parameshwar, P A Poole-Wilson*

Audit

395 Impact of internal audit on pacemaker prescription and the immediate costs of pacing in the Northern Region: towards implementation of the recommendations of the British Pacing and Electrophysiology Group *J P Mounsey, S G Ray, M J Griffith, R G Gold, R S Bexton*

Abstracts in cardiology (385) · **Video review** · **British Cardiac Society newsletter** · **Notice**

No 5 MAY 1994 Page

Editorials

401 The rights of woman *I N Findlay, D Cunningham, H J Dargie*

404 How transoesophageal echocardiography can assist cardiac surgery in adults *A J Bryan, B Barzilai, N T Kouchoukos*

406 Lasers, burns, cuts, tingles and pumps: a consideration of alternative treatments for intractable angina *D Mulcahy, C Knight, R Stables, K Fox*

Original articles

408 Coronary artery surgery in women compared with men: analysis of coronary risk factors and in-hospital mortality in a single centre *M Barbir, F Lazem, C Ilsley, A Mitchell, A Khaghani, M Yacoub*

413 Effects of spinal cord stimulation on myocardial ischaemia during daily life in patients with severe coronary artery disease *M J L de Jongste, J Haaksma, R W M Hautvast, H L Hillege, P W J Meyler, M J Staal, J E Sanderson, K I Lie*

419 Does pain relief with spinal cord stimulation for angina conceal myocardial infarction? *C Andersen, P Hole, H Oxhøj*

422 Can power spectral analysis of heart rate variability identify a high risk subgroup of congestive heart failure patients with excessive sympathetic activation? A pilot study before and after heart transplantation *A Mortara, M T La Rovere, M G Signorini, P Pantaleo, G Pinna, L Martinelli, C Cecomi, S Cerutti, L Tavazzi*

431 Effect of β blockade on the neurohumoral and cardiopulmonary response to dynamic exercise in cardiac transplant recipients *S S Kushwaha, N R Banner, N Patel, A Cox, H Patton, M H Yacoub*

437 Relation of *Helicobacter pylori* infection and coronary heart disease *M A Mendall, P M Goggin, N Molineaux, J Levy, T Toosy, D Strachan, A J Camm, T C Northfield*

440 Telephone triage of cardiac emergency calls by dispatchers: a prospective study of 1386 emergency calls *M Srámek, W Post, R W Koster*

446 Increase in plasma β endorphins precedes vasodepressor syncope *D R Wallbridge, H E MacIntyre, C E Gray, M A Denvir, K G Oldroyd, A P Rae, S M Cobbe*

449 Aortic valve replacement in elderly patients with aortic stenosis *E Straumann, W Kiowski, I Langer, E Grädel, P Stulz, D Burckhardt, M Pfisterer, F Burkart*

454 Late clinical and echocardiographic follow up after percutaneous balloon dilatation of the mitral valve *C E Ruiz, H P Zhang, H Gamra, J W Allen, F Y K Lau*

459 No evidence to implicate *Borrelia burgdorferi* in the pathogenesis of dilated cardiomyopathy in the United Kingdom *D H E Rees, P J Keeling, W J McKenna, J S Axford*

Technology

462 Dynamic three-dimensional echocardiography with a computed tomography imaging probe: initial clinical experience with transthoracic application in infants and children with congenital heart defects *M Vogel, S Lösch*

Epidemiology

468 Serum cholesterol and acute myocardial infarction: a case-control study from the GISSI-2 trial *A Nobili, B D'Avanzo, L Santoro, G Ventura, P Todesco, C La Vecchia (on behalf of Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto-Epidemiologia dei Fattori di Rischio dell'Infarto Miocardico investigators)*

Practice reviewed

474 Variations in the use of coronary angiography in three cities in the Trent Region *D Gray, J R Hampton*

Technique

479 Transcatheter closure of a ruptured aneurysm of the sinus of Valsalva *S Cullen, J Somerville, A Redington*

Case reports

481 Ventricular tachycardia: an unusual pacemaker-mediated tachycardia *D C Lefroy, T Crake, D W Davies*

484 Mechanism of pacemaker induced cough *M Hargreaves, K Channon*

487 Stenting of stenosed aortopulmonary collaterals: a new approach to palliation in pulmonary atresia with multifocal aortopulmonary blood supply *K A McLeod, M E Blackburn, J L Gibbs*

British Cardiac Society

490 Newsletter

492 Eighth survey of staffing in cardiology in the United Kingdom 1992 *D Chamberlain, J Parker, R Balcon, M Webb-Peploe, S Cobbe, D Boyle, M Tynan, S Hunter, K Reval*

Images in Cardiology (489) • Letters to the editor

No 6 JUNE 1994

Page

Editorial

501 Surgery for atrial fibrillation *J M McComb*

Review

504 Significance of raised plasma concentrations of tissue-type plasminogen activator and plasminogen activator inhibitor in patients at risk from ischaemic heart disease *D de Bono*

A letter from Europe

507 Cardiovascular pathology in Europe: a new school *A E Becker*

Review

508 QT dispersion *P D Higham, R W F Campbell*

Commentary

510 Is this the end of the aspirin and vein graft story? *A H Gershlick*

Original articles

511 QT interval dispersion: a non-invasive marker of susceptibility to arrhythmia in patients with sustained ventricular arrhythmias? *M Pye, A C Quinn, S M Cobbe*

515 Cardiac parasympathetic activity in severe uncomplicated coronary artery disease *J Nolan, A D Flapan, J Reid, J M Neilson, P Bloomfield, D J Ewing*

521 Temporal influences on the prediction of postinfection mortality by heart rate variability: a comparison with the left ventricular ejection fraction *O Odemuyiwa, J Poloniecki, M Malik, T Farrell, R Xia, A Staunton, P Kulakowski, D Ward, J Camm*

528 Usefulness of arterial blood gas estimations during exercise in patients with chronic heart failure *A L Clark, A J S Coats*

531 Direct access exercise electrocardiography: a new service that improves the management of suspected ischaemic heart disease in the community *B M McClements, N P S Campbell, D Cochrane, S Stockman*

536 Short-term effects of right atrial, right ventricular apical, and atrioventricular sequential pacing on myocardial oxygen consumption and cardiac efficiency in patients with coronary artery disease *Z S Kyriakides, A Antoniadis, E Iliodromitis, N Michelakakis, D T Kremastinos*

541 Relations between resting ventricular long axis function, the electrocardiogram, and myocardial perfusion imaging in syndrome X *M Y Henein, G M C Rosano, R Underwood, P A Poole-Wilson, D G Gibson*

548 Relative effects of left ventricular mass and conduction disturbance on activation in patients with pathological left ventricular hypertrophy *H B Xiao, S J D Brecker, D G Gibson*

554 Exercise induced vasodepressor syncope *J F Sneddon, G Scalia, D E Ward, W J McKenna, A J Camm, M P Frennaux*

558 Balloon dilatation of the aortic valve after previous surgical valvotomy: immediate and follow up results *N Sreeram, D Kitchiner, D Williams, M Jackson*

561 Noonan's cardiomyopathy: a non-hypertrophic variant *R A Cooke, J B Chambers, P V L Curry*

Case reports

566 False aneurysm of the right ventricular outflow tract after total correction of tetralogy of Fallot: diagnosis by echocardiography and successful repair by neck cannulation for cardiopulmonary bypass *M Sadiq, A C Fenton, R K Firmin*

569 Haemodynamic deterioration after treatment with adenosine *R P W Cowell, V E Paul, C D J Ilsley*

Short cases in cardiology

540 Value of multiplane transoesophageal echocardiography in recurrent atrial myxoma *A S Brown, H Why, M J Monaghan*

Technology

572 Intravascular ultrasound imaging of angiographically normal coronary arteries: a prospective study in vivo *J Ge, R Erbel, T Gerber, G Görge, L Koch, M Haude, J Meyer*

Practice reviewed

579 Complete atrioventricular septal defect with tetralogy of Fallot: diagnosis and management *M A Gatzoulis, D Shore, M Yacoub, E A Shinebourne*

Audit

584 Evidence of inadequate investigation and treatment of patients with heart failure *K W Clarke, D Gray, J R Hampton*

588 Incidence and prognosis of obstruction of the left ventricular outflow tract in Liverpool (1960–91): a study of 313 patients *D Kitchiner, M Jackson, N Malaiya, K Walsh, I Peart, R Arnold*

Correction

597 Increase in plasma β endorphins precedes vasodepressor syncope *D R Wallbridge, H E MacIntyre, C E Gray, M A Denvir, K G Oldroyd, A P Rae, S M Cobbe*

Index 600

British Cardiac Society newsletter • Notice